AI Chatbot from Your Site Content

A guide to AI Chatbot from Your Site Content: connecting your AI account, reading your site, the chat widget, how answers and refusals are made, the handover, protection and cost, the log and privacy.

1. Start here

In plain words: Visitors ask the same questions again and again: how long is delivery, can I return this, when are you open. The answers are already on your site, in pages nobody finds. **AI Chatbot from Your Site Content** adds a chat button to your site that answers **only from your own published pages, posts and products**, shows the **links of the pages** it used, and says **“I could not find this on the site”** instead of guessing when your pages have no answer. Then it offers a way to reach a person: an e-mail form, WhatsApp or your contact page.



The chat on a page of the site: two answers, each with its source.

> **Tip:** It uses your own AI account (OpenAI-compatible or Anthropic). Spending caps, rate limits and a cache keep the cost under control.

2. What you get

Feature	What it does
Answers from your content only	Your published pages, posts, products and chosen policy pages are split into passages. For each question the best passages are given to the AI, with the rule to answer from them only.
Source links	Every answer lists the pages it came from. Links in the answer that point to other sites are removed.
A clear refusal	When no passage matches well enough, the visitor reads “I could not find this on the site” and the AI is not even asked.
Talk to a person	After a refusal, or when the visitor asks for a person: an e-mail form, a WhatsApp link and a contact page link.
Never reads private content	Drafts, private and password-protected items are never read, and an item that stops being public leaves the index at once.
Abuse resistance	Security token, hidden spam field, limits per visitor address and per conversation, a longest question, daily and monthly spending caps.
Prompt-injection hardening	Visitor text and site content are passed as data between delimiters; obvious tricks are blocked before the AI; an answer that repeats the instructions is replaced.
Test chat	Ask questions in the administration and see the passages found, with their match.
Unanswered questions	With the optional log: the questions your pages do not answer, the most frequent first.
Accessible widget	Keyboard operable, screen-reader friendly, right to left, mobile friendly, your colour and position.
Arabic	Questions in Arabic get answers in Arabic; the plugin and its guide are in Arabic too.

3. Requirements

Item	Details
WordPress	6.0 or newer
PHP	7.4 or newer
Also	WooCommerce 8.0+ is optional: with it, products can be read too
An AI provider	An account and an API key with an OpenAI-compatible service (OpenAI, OpenRouter, Azure, a local server such as Ollama…) or with Anthropic. You pay your provider for what you use; the plugin has no usage fees.
License	GPL-2.0-or-later

4. Install

1. Unzip the package you downloaded. Inside is `ai-chatbot-from-site-content-for-wordpress.zip` (do not unzip this one).
2. In WordPress open **Plugins → Add New Plugin → Upload Plugin**, choose `ai-chatbot-from-site-content-for-wordpress.zip` and press **Install Now**.
3. Press **Activate Plugin**.
4. Open **AI Chatbot → Settings → AI connection**, choose your provider, paste your API key and press **Test the connection**.

5. Connect your AI

> **In plain words:** The plugin works with **your own** AI account. In **Settings → (this plugin) → AI connection** choose the provider, paste the key and press **Test the connection**: a green

message tells you that the model answered.

Field	Meaning
Provider	OpenAI-compatible (OpenAI, OpenRouter, Azure, Groq, Ollama, LM Studio…) or Anthropic.
API address	Leave empty for the official address. For another service enter it, for example `http://localhost:11434/v1`.
API key	Stored in your database (never shown again). You can define it in `wp-config.php` instead and the field disappears.
Model	The model name at your provider. A small, cheap model is enough for most tasks.
Maximum answer length	Caps the tokens of one answer, so a request cannot cost more than you expect.
Daily limit	The number of requests the plugin may make per day (0 = no limit). When it is reached the plugin stops asking until tomorrow.
Privacy	Hides e-mail addresses, phone numbers and card-like numbers before the text is sent.

Tip: The table **Recent use** at the bottom of the tab shows the requests, the errors and the tokens of the last days.



The AI connection tab after a successful test.

Provider	How passages are found
OpenAI-compatible with an embedding model (for example text-embedding-3-small)	By meaning: “when can I get my sofa?” finds the delivery page even without the word delivery.
Anthropic, or “by words only” chosen	By words (with Arabic normalisation). No embedding cost, but the visitor has to use words of your pages.

6. First steps

1. Open **AI Chatbot → Settings** and choose what the chatbot reads (pages, posts, products) and the policy pages to always include.
2. Open **AI Chatbot → Sources** and press **Read ... items now**. A progress bar shows the reading; you can stop at any moment.
3. Open **Test chat** and ask what your visitors would ask. Check the answers and the passages.
4. The chat starts **for administrators only**: visit your site, try it. When you are happy, set **Show the chat** to **To every visitor**.



The sources: what is read, waiting or failed, the passages and the spending.

7. What the chatbot reads

> **In plain words:** Only **published** items of the content types you choose, plus the policy pages you tick, are read. The text of an item (for a product also its price, stock, SKU, categories and attributes) is split into **passages** of the size you choose; each passage gets an embedding stored in a table of your database.

Rule	Detail
Never read	Drafts, pending, scheduled, private and password-protected items, the cart, checkout and account pages, products hidden from search.
Leaves the index at once	An item that is unpublished, trashed, made private or given a password.
Read again	In the background when an item is saved (an option). An unchanged text is not sent again.
Excluded by you	Tick *Do not use this in the chatbot* in the box of the edit screen, or press **Exclude** in the list of sources.
Not read	Comments, attachments and PDF files, the output of shortcodes and dynamic blocks, custom fields (a developer filter can add them).



Reading the site in batches, with a progress bar and a stop button.

8. The chat widget

> **In plain words:** The settings choose the title, the button text, the welcome message, up to 4 **suggested questions**, the placeholder, the **privacy notice** shown under the field, the main colour (the text colour is chosen for contrast) and the corner. **Where the chat appears** lists pages by ID or path (`/blog/*` for a whole section), to show it only there or everywhere except there.


Taqnix AI Test Site
Ask Casa Nord
Talk to a person
×
Hi! Ask me about delivery, returns, payment or our showroom. I answer only from the pages of this site and show you where I found it.
Can I return an item?
You can return an item within 14 days of delivery, unused and in its original packaging. We collect large items from your home for a pickup fee of AED 75.
Sources
Returns and refunds



On a phone the panel takes the bottom of the screen.

Accessibility	How
Keyboard	Tab to the button, Enter to open, Enter to send, Shift+Enter for a new line, Escape to close; the focus returns to the button.
Screen readers	The panel is a labelled dialog; new messages are announced by a live region.
Right to left	The widget mirrors itself in Arabic; answers in another direction are shown correctly.
Motion	Animations are turned off when the visitor asks the system for reduced motion.

9. How answers are made

> **In plain words:** For each question the best passages are found. If none reaches the **minimum match**, the refusal is shown at once and the AI is not asked. Otherwise the passages and the question are sent to the AI with the rule to answer only from them, in the language of the

> question, and to name the passages it used. An answer without a valid source becomes the refusal.



The test chat: the answer, its source and the passages found, with their match.



A question the site does not answer: the AI was not asked.

Option	Meaning
Passages sent with a question	1 to 8. More passages, more to read, higher cost.
Minimum match	Raise it if the chatbot answers off-topic questions, lower it if it refuses good ones (the test chat shows the closest passages). The default of 30% was set with the test model of the plugin, not measured with a real embedding model: try it in the test chat with your own questions before you open the chat to everyone.
Follow-up questions	Earlier questions of the same conversation kept on the server for 30 minutes (never taken from the browser).
Reuse answers	The same first question gets the same answer without a new AI request, until the content changes.
Language of the answers	Empty = the language of each question.

10. Talk to a person

In plain words: After a refusal, when the visitor presses **Talk to a person**, or types something like “I want to talk to a human”, the chat offers the ways you set up: a short **e-mail form** (sent to the address of the settings, with the visitor's address as reply-to), a **WhatsApp** link with the question ready to send, and your **contact page**.



A refusal with the three ways to reach the team.



The e-mail form inside the chat.

11. Protection and cost

> **In plain words:** The chat is public, so it is built to resist abuse and to cap your spending.

Protection	Detail
Security token	Every question carries a WordPress nonce; a page served from a cache gets a fresh one automatically. For visitors who are not logged in this token is the same for everyone for about 12 hours: it stops other sites from sending questions through the browser of your visitors, it does not stop a robot. The rate limits and the spending caps are what stop robots.
Spam field	A hidden field that people do not see; a robot that fills it is refused.
Rate limits	Questions per minute and per day from one visitor address (stored as a salted hash, never in clear), and per hour in one conversation.
Longest question	Longer questions are refused; the answer has a token cap.
Spending caps	Daily and monthly, estimated from the prices you enter. Before each question its worst cost is booked (questions that arrive at the same moment are counted one after the other) and corrected with the real cost after the answer; when a cap would be passed the chat shows a friendly “unavailable” message.
Prompt tricks	Questions like “ignore your instructions” are not sent to the AI (an option). Visitor text and site content are passed as data between delimiters, with angle brackets neutralised.
Leaks	A hidden marker is placed in the instructions; an answer that contains it, or copies the rules, is replaced by the refusal.
Links	Only links to your own site are clickable; the widget never inserts HTML.
Proxy	The visitor address is read from `X-Forwarded-For` only if you say your site is behind a proxy (otherwise it could be faked). The last address of the header is used: the one your proxy adds (the first ones are written by the visitor). For another setup a developer filter (`tqcb_visitor_ip`) gives the address.
Where the chat appears	These rules hide the widget; they do not protect anything. When the chat is open to everyone, its questions can be sent from any page.



The protection and cost settings.

> **Important:** The estimates use the prices you type. Check the real usage in the page of your provider: the caps protect you, they are not your bill.

12. The log and the unanswered questions

> **In plain words:** The log is **off by default**. When you turn it on, each question (with e-mail addresses and phone numbers masked) and its answer are saved with a **scrambled conversation number**; no IP address, no browser data. Entries older than the retention are deleted every day. Questions of the test chat are not logged.



The questions the pages do not answer, the most frequent first.



Every entry, with the outcome and the conversation.

> **Tip:** Add the missing answer to a page, press **Test again**: the page is read again when you save it.

13. Privacy

> **In plain words:** Using an AI model means sending text to your provider. The question of the visitor (e-mail addresses, phone numbers and long numbers are always masked first) and the best passages of your public pages are sent. Nothing about the visitor (address, browser) is sent. E-mail addresses, phone numbers and card-like numbers are masked first (an option, on by

default). Nothing is sent to Taqnix. Mention your AI provider in your privacy policy: the plugin adds a suggested paragraph in **Settings → Privacy**.

Important: AI can be wrong. Treat what it writes as a draft and read it before you publish it.

In plain words: Show a short privacy notice in the widget (a setting, filled by default) and mention the chatbot in your privacy policy. The plugin does not promise compliance with any law: you decide what is right for your site.

14. Who can do what

Who	Can
Administrators	Settings, AI connection, reading the site, excluding items, the test chat and the log (export and delete).
Editors and authors	Tick “Do not use this in the chatbot” on the items they can edit.
Visitors	Ask questions and send the handover form, within the limits.

15. Arabic and right to left

In plain words: A question in Arabic gets an answer in Arabic, even when the pages are in English. The widget and the administration are translated into Arabic and work right to left.

The chat on an Arabic page.



The sources screen in an Arabic WordPress.

16. What it does not do

Limit	Detail
It can be wrong	An AI can misread a passage. Answers carry their sources and a notice; check the test chat before you open the chat to everyone.
Only what is written	No order status, no stock in real time between two readings, no account data, no actions (it does not add to the cart or book anything).
No live chat	The handover is an e-mail, WhatsApp or your contact page; there is no live agent inside the widget.
Size of the site	Each question is compared with every passage of the index (the number of passages is on the Sources screen). Measured on a fast computer with PHP 8.3 and 1536-number embeddings (as text-embedding-3-small): 5,000 passages take about 1.3 s per question, 50,000 passages about 12 s, before the AI answers; memory stays small. By words only: about 0.1 s and 0.8 s. A shared host is slower. Above about 10,000 passages choose **By words only**, read fewer content types or lower **Passages per item**.
Members-only content	The chatbot follows the WordPress status and password of an item only. Text that a membership or restriction plugin hides on a published item is read and can be quoted: exclude such items (box of the edit screen, the Exclude button, or the `tqcb_indexable` filter).
Rate limits	They use WordPress transients; a persistent object cache makes them faster on busy sites.
Not a legal tool	It does not make your site compliant with privacy laws by itself.

17. For developers

> **In plain words:** Skip this chapter if you only use the plugin.

```
// Ask the chatbot from your own code (same rules as the widget: sources, refusal, caps)
$r = TQCB_Chat::ask( 'How long does delivery take?' );
// $r['type'] is answer, refusal, handover or unavailable; $r['text'], $r['sources'] (tit

// Keep some items out of the index (drafts, private items and passwords are always out)
add_filter( 'tqcb_indexable', function ( $ok, $post ) {
        return $ok && ! has_category( 'internal', $post );
}, 10, 2 );

// Add a custom field to the text that is read
add_filter( 'tqcb_item_text', function ( $text, $post ) {
        return $text . "\n\nOpening hours: " . get_post_meta( $post->ID, 'hours', true );
}, 10, 2 );

// Your brand voice (keep the rules of the prompt)
add_filter( 'tqcb_system_prompt', function ( $prompt ) {
        return $prompt . "\nUse a warm, short style.";
} );

// Hide the widget on some pages
add_filter( 'tqcb_show_widget', function ( $show ) {
        return $show && ! is_page( 'landing' );
} );

// The key can live in wp-config.php
define( 'TQCB_AI_KEY', 'sk-...' );
```

18. Troubleshooting

Problem	What to do
The chat button does not appear	Check **Show the chat** (administrators only at first), the page rules, and that the AI connection is set up.
“I could not find this on the site” for a good question	Open the test chat: if the right passage is just below the minimum match, lower it; if it is missing, check that the page is read (Sources).
Items stay “Waiting”	Press **Read ... items now**. In the background the reading uses WP-Cron, which runs when the site has visits.
Embeddings need an OpenAI-compatible provider	With Anthropic choose **By words only**, or use an OpenAI-compatible service for the embeddings.
“The chat is resting for now”	A spending cap is reached, or the AI does not answer. See the cards of the Sources screen and the AI connection test.
“You are asking a lot of questions”	A rate limit is reached. Raise it in the settings if real visitors meet it.
The handover e-mail does not arrive	WordPress must be able to send mail; use an SMTP plugin if other mails of the site do not arrive either.

19. Updating and removing

Install the new zip over the old one in **Plugins → Add New Plugin → Upload Plugin** (WordPress offers to replace the current version), or replace the folder `ai-chatbot-from-site-content-for-wordpress` by FTP. Your settings, the index and the log are kept. To remove the plugin, deactivate and delete it: its settings, its tables (index and log), its post meta and its scheduled tasks are removed with it.

20. Support

Installation help and bug fixes are included for 6 months, with lifetime updates. Contact us through the marketplace page where you bought the plugin or write to **support@taqnix.com** with your WordPress version, the plugin version and a screenshot.

Changelog

1.0.0 – Initial release

- Chat widget that answers only from published pages, posts, products and chosen policy pages, with source links
- Index of passages with embeddings (or words), batch reading with progress, reading again on save, exclusions
- Clear refusal below the minimum match or without a source; handover by e-mail form, WhatsApp or contact page
- Nonce, honeypot, rate limits per address and conversation, longest question, daily and monthly spending caps
- Prompt-injection hardening, own-site links only, masking of e-mails and phones in questions
- Test chat with passages and match; optional log with retention, unanswered questions, CSV export and delete; Arabic translation

© Taqnix. Licensed under GPL-2.0-or-later.